

LL-2, Avani Plaza, Near Satellite Towers, Opp H.P. Petrol Pump, Satellite, Ahmedabad - 380015. Gujarat, India.

Tel: +91-79-40033558 | Mobile: +91-9374021441

Email: sheetal ent@hotmail.com | Website: www.ultrasonicwelding.in

15KHz Ultrasonic Continuous Welding (SE-5015)



Technical data

Model SE- 5015

Power 2500W/3000W/4000W

Voltage 220V+-10%

Frequency Range 14.40-15.20KHz

Frequency 15Khz



LL-2, Avani Plaza, Near Satellite Towers, Opp H.P. Petrol Pump, Satellite, Ahmedabad - 380015. Gujarat, India.

Tel: +91-79-40033558 | Mobile: +91-9374021441 Email: <u>sheetal_ent@hotmail.com</u> | Website: <u>www.ultrasonicwelding.in</u>

Features

SE-5015	SE Generator
Time mode	\checkmark
Energy mode Time and /or energy mode	\checkmark
Contact breaker	\checkmark
Continuous welding	\checkmark
Variable amplitude	\checkmark
	(10% - 100%, In Increments of 1%)
TEST key	\checkmark
Status LED on generator	Ultrasonic ready / active / error
LCD	\checkmark
Carrying case	\checkmark
Handle on generator	\checkmark
Dimensions (WxHxD)	3.25"x7.75"x15"



LL-2, Avani Plaza, Near Satellite Towers, Opp H.P. Petrol Pump, Satellite, Ahmedabad - 380015. Gujarat, India.

Tel: +91-79-40033558 | Mobile: +91-9374021441

Email: sheetal ent@hotmail.com | Website: www.ultrasonicwelding.in

Functions & Features

- ✓ Real time frequency automatic tracking display
- ✓ Welding modes: time, energy, and grounding.
- ✓ Amplitude division function
- ✓ Welding amplitude 10%-100% adjustable (1% accuracy)
- ✓ Amplitude compensation
- ✓ Mold impedance analysis + protection
- ✓ Overload protection
- √ Voltage protection (input)
- ✓ Transducer voltage protection
- √ 485 communication